THE SOUTHWESTERN NATURALIST 57(4): 502–516 DECEMBER 2012

INDEX TO VOLUME 57

TROY L. BEST

Department of Biological Sciences, 331 Funchess Hall, Auburn University, AL 36849-5414

This index was constructed by listing each article alphabetically by title and by the last name of the first author. Titles beginning with general terms or phrases (e.g., a, an, the, observations on, notes on the) are listed by the next word in the title. Second and subsequent authors are listed with a reference to the first author. All taxa included in titles are listed, but family, genus, and species names are included each time they appear in the abstracts, text, tables, and figure legends.

Abies, 8
  concolor, 9, 195
  lasiocarpa, 9, 386
  religiosa, 106
Abramis brama, 286–288
Acacia, 213, 350, 372, 474
  berlandieri, 474
  cedilloi, 351
  constricta, 32, 293
  greggii, 17, 21, 474
  gregii, 293
  rigidula, 474
Acalypha radians, 97
Accipiter gentilis, 390
Acer
  negundo, 354
  saccharinum, 336
Achnatherum hymenoides, 210
Acourtia nana, 372
Acre, Matthew R., Daniel J. Leavitt, and Christopher M. Schalk, A patternless morph of the marbled whiptail (*Aspidoscelis marmorata*; Squamata: Teiidae) in New Mexico, 206–207
Acris crepitans, 279, 280
Activity and distribution of gray foxes (*Urocyon cinereoargenteus*) in southern California, Verónica Farías, Todd K. Fuller, and Raymond M. Sauvajot, 176–181
Adenostoma fasciculata, 177
Adoption as a conservation strategy for the magnificent frigatebird (*Fregata magnificens*), Monica González-Jaramillo, Christian Schloegl, and Horacio de la Cueva, 332–335
Aetheca wagneri, 210, 211
Agave
  kerchovei, 157
  potatorum, 157
  stricta, 157
Agelenidae, 418
Agenbroad, Larry D., see Pasenko, Michael R., and —
Ageratina herbacea, 372
Agkistrodon
  contortrix, 68, 279
  piscivorus, 128
Agonostomus monticola, 286–288
Agropyron spicatum, 166
Agrostis, 94
Aimophila ruficeps, 34
Akre, Thomas S. B., see Iverson, John B., —
Alabama shad (*Alosa alabamae*: Clupeiformes: Clupeidae) in the White River, Arkansas, the, Thomas M. Buchanan, William G. Layher, Chris T. McAllister, and Henry W. Robison, 347–349
Alexander, Mara L., and Catherine T. Phillips, Habitats used by the endangered fountain darter (*Etheostoma fonticola*) in the San Marcos River, Hays County, Texas, 449–452
Alforjas, 82, 83
Allenrolfea occidentalis, 371
Allium, 94
Alopecurus, 94
Alopex lagopus, *173*
Alosa alabamae, 347–349
Aloysia gratissima, 474
Altica litigata, 124–126
Altrichter, Mariana see Stoker, Philip, —
Álvarez-Jara, Margarito, see Charre-Medellín, Juan F., —
Amaranthus fimbriatus, 372
Amatitlania nigrofasciata, 286–288
Amazona albifrons, 460
Ambrosia, 94
  ambrosioides, 338
  deltoidea, 32
  dumosa, 17, 21, 32
  psilostachya, 93, 97, 372
Ambrysus mormon, 122
Ameiurus melas, 339
Ameiva ameiva, 439
American badger (*Taxidea taxus*) in Arkansas, with emphasis on expansion of its range into northeastern Arkansas, the, Renn Tumlison, D. Blake Sasse, Michael E. Cartwright, Stephen C. Brandebura, and Tracy Klotz, 467–471
American badger (*Taxidea taxus*) uses covert reconnaissance to ambush a black-tailed prairie dog (*Cynomys ludovicianus*), David A. Eads, Mike T. J. Hague, and Carlie G. Zoubek, 463–464
Ammerman, Loren K., see Nalls, Amy V., —
Ammocrypta vivax, 217, 218
Ammodramus savannarum, 107
Ammospermophilus, 215
Amorpha, 94
Amphicerus bicaudatus, 108–111
Amphispiza
  belli, 34
  bilineata, 31, 34
Amsinckia, 21
Amsonia tomentosa, 372
Anatidae, 401
Andelt, William F., see Resnik, Jessica R., and —
Andropogon, 94
  gerardii, 93, 97, 138, 199, 278
Anguispira strongylodes, 353, 354
Annona globiflora, 220
Anser albifrons, 402
Antilocapra, 407
  americana, 23, 83, 395, 406
Antilocapridae, 399, 404, 406, 407
Antrozous pallidus, 203
Apalone
  mutica, 283
  spinifera, 278, 279
Aphanius iberus, 414
Aphanostephus, 474
Aphonopelma hollyi, 144–147
Apidae, 442–445
Aplodinotus grunniens, 348
Aquila chrysaetos, 170
Ara militaris, 459–462
Arachnidae, 159
Araneae, 417–420
Araneidae, 418, 419
Arbutus, 454

THE SOUTHWESTERN NATURALIST 57(4): 502–516 DECEMBER 2012

INDEX TO VOLUME 57

TROY L. BEST

Department of Biological Sciences, 331 Funchess Hall, Auburn University, AL 36849-5414

This index was constructed by listing each article alphabetically by title and by the last name of the first author. Titles beginning with general terms or phrases (e.g., a, an, the, observations on, notes on the) are listed by the next word in the title. Second and subsequent authors are listed with a reference to the first author. All taxa included in titles are listed, but family, genus, and species names are included each time they appear in the abstracts, text, tables, and figure legends.

Abies, 8
  concolor, 9, 195
  lasiocarpa, 9, 386
  religiosa, 106
Abramis brama, 286–288
Acacia, 213, 350, 372, 474
  berlandieri, 474
  cedilloi, 351
  constricta, 32, 293
  greggii, 17, 21, 474
  gregii, 293
  rigidula, 474
Acalypha radians, 97
Accipiter gentilis, 390
Acer
  negundo, 354
  saccharinum, 336
Achnatherum hymenoides, 210
Acourtia nana, 372
Acre, Matthew R., Daniel J. Leavitt, and Christopher M. Schalk, A patternless morph of the marbled whiptail (*Aspidoscelis marmorata*; Squamata: Teiidae) in New Mexico, 206–207
Acris crepitans, 279, 280
Activity and distribution of gray foxes (*Urocyon cinereoargenteus*) in southern California, Verónica Farías, Todd K. Fuller, and Raymond M. Sauvajot, 176–181
Adenostoma fasciculata, 177
Adoption as a conservation strategy for the magnificent frigatebird (*Fregata magnificens*), Monica González-Jaramillo, Christian Schloegl, and Horacio de la Cueva, 332–335
Aetheca wagneri, 210, 211
Agave
  kerchovei, 157
  potatorum, 157
  stricta, 157
Agelenidae, 418
Agenbroad, Larry D., see Pasenko, Michael R., and —
Ageratina herbacea, 372
Agkistrodon
  contortrix, 68, 279
  piscivorus, 128
Agonostomus monticola, 286–288
Agropyron spicatum, 166
Agrostis, 94
Aimophila ruficeps, 34
Akre, Thomas S. B., see Iverson, John B., —
Alabama shad (*Alosa alabamae*: Clupeiformes: Clupeidae) in the White River, Arkansas, the, Thomas M. Buchanan, William G. Layher, Chris T. McAllister, and Henry W. Robison, 347–349
Alexander, Mara L., and Catherine T. Phillips, Habitats used by the endangered fountain darter (*Etheostoma fonticola*) in the San Marcos River, Hays County, Texas, 449–452
Alforjas, 82, 83
Allenrolfea occidentalis, 371
Allium, 94
Alopecurus, 94
Alopex lagopus, *173*
Alosa alabamae, 347–349
Aloysia gratissima, 474
Altica litigata, 124–126
Altrichter, Mariana see Stoker, Philip, —
Álvarez-Jara, Margarito, see Charre-Medellín, Juan F., —
Amaranthus fimbriatus, 372
Amatitlania nigrofasciata, 286–288
Amazona albifrons, 460
Ambrosia, 94
  ambrosioides, 338
  deltoidea, 32
  dumosa, 17, 21, 32
  psilostachya, 93, 97, 372
Ambrysus mormon, 122
Ameiurus melas, 339
Ameiva ameiva, 439
American badger (*Taxidea taxus*) in Arkansas, with emphasis on expansion of its range into northeastern Arkansas, the, Renn Tumlison, D. Blake Sasse, Michael E. Cartwright, Stephen C. Brandebura, and Tracy Klotz, 467–471
American badger (*Taxidea taxus*) uses covert reconnaissance to ambush a black-tailed prairie dog (*Cynomys ludovicianus*), David A. Eads, Mike T. J. Hague, and Carlie G. Zoubek, 463–464
Ammerman, Loren K., see Nalls, Amy V., —
Ammocrypta vivax, 217, 218
Ammodramus savannarum, 107
Ammospermophilus, 215
Amorpha, 94
Amphicerus bicaudatus, 108–111
Amphispiza
  belli, 34
  bilineata, 31, 34
Amsinckia, 21
Amsonia tomentosa, 372
Anatidae, 401
Andelt, William F., see Resnik, Jessica R., and —
Andropogon, 94
  gerardii, 93, 97, 138, 199, 278
Anguispira strongylodes, 353, 354
Annona globiflora, 220
Anser albifrons, 402
Antilocapra, 407
  americana, 23, 83, 395, 406
Antilocapridae, 399, 404, 406, 407
Antrozous pallidus, 203
Apalone
  mutica, 283
  spinifera, 278, 279
Aphanius iberus, 414
Aphanostephus, 474
Aphonopelma hollyi, 144–147
Apidae, 442–445
Aplodinotus grunniens, 348
Aquila chrysaetos, 170
Ara militaris, 459–462
Arachnidae, 159
Araneae, 417–420
Araneidae, 418, 419
Arbutus, 454

Arceuthobium vaginatim, 380
Archidiskodon imperator, 400, 404
Archilochus alexandri, 34
Arctiidae, 125
Arctostaphylos, 454
  uva-ursi, 386
Ardea alba, 106
Aristida, 454, 476
  divaricata, 52, 454
Arnica cordifolia, 386
Arremon viretriceps, 106
Artemia, 422
Artemisa, 177
  bigelovii, 362
  filifolia, 370, 372
  ludoviciana, 372
  tridentata, 167
Artibeus jamaicensis, 105
Asbolus laevis, 262–265
Aspidosceles sexlineatus, 279
Aspidoscelis, 439
  gypsi, 206
  inornata, 206
  marmorata, 206–207
  tigris, 430–434
Assemblages of amphibians, reptiles, and mammals on an urban military base in Oklahoma, Victor Bogosian, III, Eric C. Hellgren, and Raymond W. Moody, 277–284
Assemblages of rodents in riparian forests along the Rio Grande in Big Bend National Park, Texas: current and historic insights on the effects of invasion by saltcedars, Daniel J. Leavitt, 148–153
Associations of small migratory and resident birds with two scrub habitats during late winter and spring in the northern Chihuahuan Desert, New Mexico, Jeffrey M. Kozma, Laura M. Burkett, and Nancy E. Mathews, 31–38
Asteraceae, 453
Astragalus, 21
  nuttallianus, 372
Astrophytum asterias, 182–188
Astyanax mexicanus, 286–288
Atherena boyeri, 426
Atherinopsidae, 286
Atopsyche sperryi, 121
Atriplex, 21
  canescens, 362, 371, 372, 375, 376, 431, 432
  lentiformis, 417
  obovata, 362
  polycarpa, 417
  semibaccata, 417
  serenana, 417
Atthis heloisa, 106
Auleutes, 123–126
  bosqi, 123, 124
Auriparus flaviceps, 34
Avena, 177
Aztlanolagus agilis, 202–204

Babesia
  bigemina, 26
  bovis, 26
Baccharis salicifolia, 330
Baeolophus wollweberi, 106
Bahia absinthifolia, 372
Bahn, Jessica Rackett, see Parmley, Dennis, and —
Baldwin, Roger A., see Bender, Louis C., —
Ballard, Warren B., see Schwalm, Donelle L., —
Ballesteros-Medrano, Oscar, see Contreras-Balderas, Armando J., —
Barceló, Ingrid, and John Faaborg, Expansion of the breeding range of the blue-gray gnatcatcher (*Polioptila caerulea*) into western Nebraska, 478–479
Barrows, Cameron W., Temporal patterns of abundance of arthropods on sand dunes, 262–266
Bassariscus astutus, 203
Batrachochytrium dendrobatidis, 323–327
Bats in riparian-restoration sites along the lower Colorado River, Arizona, Allen W. Calvert and Sean A. Neiswenter, 340–342
Beckman, Daniel W., and Christian A. Hutson, Validation of aging techniques and growth of the river redhorse, *Moxostoma carinatum*, in the James River, Missouri, 240–247
Bender, Louis C., Roger A. Baldwin, and Jessica R. Piasecke, Habitats occupied by elk (*Cervus elaphus*) in desert grassland-scrublands of northwestern New Mexico, 361–369
Bender, Louis C., see Hoenes, Brock D., and —
Bernstein, Neil P., see Christiansen, James L., —
Beucarnea inermis, 220
Biagas, Tiffany D., Alexander S. Hall, Alexis L. Ritzer, and Benjamin A. Pierce, Time of day does not affect detection in visual-encounter surveys of a spring-dwelling salamander, *Eurycea naufragia*, 162–165
Big red bat *Lasiurus egregius* (Vespertilionidae) in Honduras, José M. Mora, 104–105
Bison, 74, 81, 83, 399, 404, 408
  antiquus, 80, 407, 409
  bison, 407
  chaneyi, 407
  latifrons, 80, 407
  occidentalis, 407
  priscus, 407, 409
  willistoni, 407
Black-capped vireo (*Vireo atricapilla*) in urban areas of Monterrey, Nuevo León, Mexico, Armando J. Contreras-Balderas, Oscar Ballesteros-Medrano, and Juan A. García-Salas, 212–213
Bleich, Vernon C., see Marshal, Jason P., —
Blepharoneuron trichloepis, 52
Blinn, Dean W., David E. Ruiter, and Allen Haden, Do semi-arid landscapes in the American Southwest cause discrete communities of caddisflies (Trichoptera) in streams?, 119–122
Blood of nestlings on success of fledging in white-eyed vireos (*Vireo griseus*), effect of sampling, David H. Davis and Philip D. Sudman, 446–449
Blount, Seafha J., and John L. Koprowski, Response of the Mount Graham red squirrel (*Tamiasciurus hudsonicus grahamensis*) to postfire conditions, 8-15
Boehmeria cylindrica, 354
Bogertophis subocularis, 440
Bogosian, Victor, III, Eric C. Hellgren, and Raymond W. Moody, Assemblages of amphibians, reptiles, and mammals on an urban military base in Oklahoma, 277–284
Bolboschoenus fluviatilis, 311
Bombus
  affinis, 442
  auricomus, 442–444
  bimaculatus, 442–444
  fervidus, 442–444
  fraternus, 442–444
  griseocollis, 442–444
  impatiens, 442–444
  nevadensis, 443
  pensylvanicus, 442–444
  sonorus, 442–444
  variabilis, 442–444
Booth, Michael T., and Andrea J. Shipley, Spatial dynamics and growth of two native species of catostomids: are movements restricted?, 248–256
Bootherium, 407
Boraginaceae, 21
Boselaphus tragocamelus, 26–30
Bostrichidae, 108–111
Botello, Francisco, see Charre-Medellín, Juan F., —
Bothriochloa ischaemum, 199, 278
Bouteloua, 94, 370, 371, 401
  curtipendula, 140, 278
  gracilis, 52, 362, 454
  hirsuta, 454, 474, 476
  scorpioides, 454
Bovidae, 407
Bower, Michael R., see Dzul, Maria C., —
Brachiaria ciliatissima, 474

Brachypelma, 144
Bradley, Robert D., Justin B. Lack, Russell S. Pfau, Lottie L. Peppers, Dallas D. Henson, Andrew O. Stallings, Christine N. Hoang, and Ronald A. Van Den Bussche, Genetic and conservation status of a relictual population of the hispid cotton rat (*Sigmodon hispidus eremicus*), 231–239
Brahea
brandegeii, 461
dulcis, 157
nitida, 157
Brandebura, Stephen C., see Tumlison, Renn, —
Branta canadensis, 399, 401, 402
Brassica
nigra, 177
tournifortii, 21
Brassicaceae, 21
Bredemeyer, William R., see O'Leary, John F., and —
Breeding colonies of least terns (*Sternula antillarum*) in northern Sonora, Mexico, 2006–2008, Alyssa Rosemartin and Charles van Riper III, 342–345
Brennan, Leonard A., see Larson, Jon A., —
Brickelia veronicaefolia, 454
Brickellia laciniata, 32
Briggler, Jeffrey T., see Christiansen, James L., —
Briones-Salas, Miguel, A. Hernández-Allende, M. Martínez Coronel, and G. González Pérez, New records of the endemic Chinanteco deermouse *Habromys chinanteco* (Rodentia: Cricetidae) in the Sierra Madre de Oaxaca, Mexico, 221–222
Bromus, 93, 94
catharticus, 97
diandrus, 330
madritensis, 330
tectorum, 166–169
Brosimum alicastrum, 219
Brown, Donald J., James R. Dixon, and Michael R. J. Forstner, Visual summary of herpetofaunal diversity in Texas, 465–467
Brown, Tracey K., see Eifler, Douglas A., —
Bryant, Fred C., see Larson, Jon A., —
Buchanan, Thomas M., see McAllister, Chris T., —
Buchanan, Thomas M., William G. Layher, Chris T. McAllister, and Henry W. Robison, Alabama shad (*Alosa alabamae*: Clupeiformes: Clupeidae) in the White River, Arkansas, the, 347–349
Buckley, Byron R., see Pleasant, Greg D., —
Budy, Phaedra, see Webber, P. Aaron, —
Bufo
americanus, 279
woodhouseii, 279
Bumble bees (Hymenoptera: Apidae) of Texas: historical distributions, Michael D. Warriner, 442–445
Burke, Russell L., and Kerry L. Yurewicz, Influence of size, loss of tail, and burst speed on risk of predation in the banded gecko (*Coleonyx variegatus*), 87–91
Burkett, Laura M., see Kozma, Jeffrey M., —
Burns, Stephen M., see Reyes Ramirez, Eric, —
Bursera, 461
simaruba, 219, 220
Buteo
jamaicensis, 390
swainsoni, 106

Cactaceae, 337–338
Calamospiza melanocorys, 34
Calliandra eriophylla, 21
Callipepla
gambelii, 34, 83
squamata, 154–156
Callisaurus, 436
Calocedrus decurrens, 195
Calvert, Allen W., and Sean A. Neiswenter, Bats in riparian-restoration sites along the lower Colorado River, Arizona, 340–342
Calystegia macrostegia, 172
Camelidae, 82, 406
Camelops, 74, 80, 81, 84, 400, 407
hesternus, 82, 83, 399, 404, 406, 408, 409
huerfanensis, 83
kansanus, 83
minidokae, 83
sulcatus, 82, 83
traviswhitei, 82
Camelus, 82
Cameron, Guy N., see Rezsutek, Michael J., and —
Campbell, Tyler A., see Moczygemba, Jonathan D., —
Campbell, Tyler A., see Reyes Ramirez, Eric, —
Campylorhynchus brunneicapillus, 34
Canidae, 403
Canis, 203
latrans, 176, 178, 179, 214–216, 280, 281, 310, 396, 399, 403, 408
lupus, 280, 281, 399, 403
Capromeryx, 202, 203, 205, 406, 407
furcifer, 435
minor, 409
Cardellina
pusilla, 34
rufifrons, 106
Cardinalis sinuatus, 34
Carduus pycnocephalus, 329
Carex, 52
amphibola, 354
Carollia
castanea, 105
perspicillata, 105
Carollia sowelli, 105
Carpiodes carpio, 348
Carpodacus mexicanus, 34
Cartwright, Michael E., see Tumlison, Renn, —
Carya, 109, 258
illinoensis, 354
illinoinensis, 278
Caso, Arturo, see Holbrook, Joseph D., —
Castanea, 354
Castañeda, Gamaliel, see Gadsden, Héctor, and —
Castañeda, Gamaliel, see García-De la Peña, Cristina, —
Castor canadensis, 280, 281, 470
Castro-Arellano, Ivan, see Rodríguez-Ruíz, Erick Rubén, —
Catharus guttatus, 34
Catostomus, 240
ardens, 268
clarki, 248–256
commersoni, 241
commersonii, 268
discobolus, 267–276
insignis, 248–256
latipinnis, 268
platyrhynchus, 254, 268, 269
Ceanothus, 94, 177
Cedrela odorata, 219
Celtis, 94, 139
laevigata, 192, 278, 354
occidentalis, 93, 190, 479
pallida, 474, 476
Cemophora coccinea, 283
Cenchrus
ciliaris, 199
spinifex, 97
Cephalanthus occidentalis, 354
Ceratoides lanata, 362
Ceratopsyche oslari, 121
Cercidium microphyllum, 35
Cercocarpus
intricatus, 362
montanus, 210, 370, 372, 375, 376
Cervus elaphus, 92–96, 361–369, 377
Chaetocnema, 123–125
Chaetodipus
eremicus, 149–151
nelsoni, 148, 151
Chamaecrista
fasciculata, 474
fasciculate, 199
Chamaesaracha sordida, 372
Chamaesyce
maculata, 372
serpyllifolia, 372
serrula, 372
Characidae, 286

Charadrius melodus, 333
Charre-Medellín, Juan F., Víctor Sánchez-Cordero, Gloria Magaña-Cota, Margarito Álvarez-Jara, and Francisco Botello, Jaguarundi (*Puma yagouaroundi*) in Guanajuato, Mexico, 117–118
Chasmistes liorus, 273
Cheatgrass on abundance of the North American deermouse (*Peromyscus maniculatus*), effect of, Lucas K. Hall, 166–169
Chelydra serpentina, 279, 472
Chen caerulescens, 402
Cheumatopsyche
arizonensis, 121
pinula, 121
Chilopsis linearis, 32
Chimarra utahensis, 121
Choate, Jerry R., see Storm, Jonathan J., and —
Christiansen, James L., Neil P. Bernstein, Christopher A. Phillips, Jeffrey T. Briggler, and Don Kangas, Declining populations of yellow mud turtles *(Kinosternon flavescens)* in Iowa, Illinois, and Missouri, 304–313
Chrysemys picta, 306, 472
Chrysomelidae, 123–125
Chrysothamnus nauseosus, 167
Chytrid fungus *Batrachochytrium dendrobatidis* in isolated populations of the Baja California treefrog *Pseudacris hypochondriaca curta* in Baja California Sur, Mexico, the, Víctor H. Luja, Ricardo Rodríguez-Estrella, Kris Ratzlaff, Gabriela Parra-Olea, and Aurelio Ramírez-Bautista, 323–327
Cichlidae, 286
Cirsium, 93, 94
Clayton, Megan C., see Reyes Ramirez, Eric, —
Clinical variables of scaled quail (*Callipepla squamata*) in the southern High Plains of Texas, Greg D. Pleasant, C. Brad Dabbert, Robert B. Mitchell, and Byron R. Buckley, 154–156
Clostridium, 362
Clupeidae, 347–349
Clupeiformes, 347–349
Cnemidophorus, 438, 440
gularis, 439
sexlineatus, 439
Cnidosculus tehuacanensis, 158
Colaptes auratus, 34
Coleonyx
brevis, 87
variegatus, 87–91
Coleoptera, 108–111
Colinus virginianus, 27, 154, 319–322
Collins, Daniel P., III, Louis A. Harveson, and Donald C. Ruthven, III, Spatial characteristics of Ameican badgers (*Taxidea taxus*) in southern Texas, 473–478
Colonization of a desert island by a tropical bird: military macaw (*Ara militaris*) at Isla San Pedro Nolasco, Sonora, Mexico, near, Juan Pablo Gallo-Reynoso, Richard Stephen Felger, and Benjamin Theodore Wilder, 459–462
Coluber constrictor, 279
Colubrina texensis, 474, 476
Commelina
dianthifolia, 454
erecta, 97, 199
Communal nesting behavior in Mearns's squirrels (*Tamiasciurus mearnsi*), Nicolás Ramos-Lara and John L. Koprowski, 195–198
Conard, Jonathan M., and Philip S. Gipson, Foraging ecology of elk (*Cervus elaphus*) in a tallgrass prairie, 92–96
Concordance between molecular and morphological evidence of hybridization in the *Dichanthelium acuminatum* (Poaceae: Paniceae) subspecies complex, Rick L. Hammer, Stephan L. Hatch, Alan E. Pepper, and James R. Manhart, 133–137
Condalia hookeri, 474
Conepatus leuconotus, 223–225
Contreras-Balderas, Armando J., Oscar Ballesteros-Medrano, and Juan A. García-Salas, Black-capped vireo (*Vireo atricapilla*) in urban areas of Monterrey, Nuevo León, Mexico, 212–213
Conyza canadensis, 372
Cophosaurus, 436
Copulatory plugs of round-tailed ground squirrels (*Xerospermophilus tereticaudus*), Karen E. Munroe and John L. Koprowski, 208–210
Coragyps atratus, 192
Coreopsis nuecensoides, 474
Cornus, 94
drummondii, 93
foemina, 354
Cortaderia selloana, 329
Corvus corax, 106, 461
Corynorhinus townsendii, 203
Cottus
bairdii, 269
beldingi, 269
Cove, Michael V., Liisa M. Niva, and Victoria L. Jackson, Use of probability of detection when conducting analyses of surveys of mesopredators: a case study from the Ozark Highlands of Missouri, 257–261
Cram, Douglas S., see Wood, M. Karl, —
Crataegus
mollis, 354
viridis, 354
Cratogeomys castanops, 203
Cricetidae, 149, 221–222, 402
Crotalus viridis, 64
Crotaphytidae, 438
Crotaphytus, 440
collaris, 438, 458–459
grismeri, 438
Croton, 199, 474
texensis, 97
Cryptotis parva, 202, 204, 280
Crysothamnus nauseosus, 362
Ctenophthalmus pseudagyrtes, 345–346
Ctenophthalmus pseudagyrtes (Siphonaptera: Ctenopthalmidae): new to the flea fauna of Texas, Chris T. McAllister and Nixon Wilson, 345–346
Ctenopthalmidae, 345–346
Culoptila cantha, 121
Cuniculus paca, 219–221
Curculionidae, 123–125
Cureton, Elijah S., see Kappenman, Kevin M., —
Cygnus
buccinator, 401
columbianus, 401
Cylindropuntia, 397
imbricata, 401
Cynodon dactylon, 139
Cynomys, 112, 115, 399, 401, 408
churcheri, 402
gunnisoni, 100–104, 203, 402
leucurus, 208, 402
ludovicianus, 100, 282, 395, 402, 408, 409, 463–464, 474
mexicanus, 402
niobrarius, 402
parvidens, 402
spispiza, 402
Cyperus, 454
involucratus, 329
Cyprinella
venusta, 348
whippeli, 348
Cyprinidae, 218, 286
Cyprinodon
diabolis, 44–50
salinus, 412–416
tularosa, 414
Cyprinodontidae, 412
Cyprinus carpio, 249, 269, 286–288, 339
Czaplewski, Nicholas J., and Kent S. Smith, Late Pleistocene vertebrates from a rockshelter in Cimarron County, Oklahoma, 399–411
Czaplewski, Nicholas J., Pleistocene peccaries (Mammalia: Tayassuidae) from western Oklahoma, 112–117

Dabbert, C. Brad, see Pleasant, Greg D., —
Dalea, 94
bicolor, 454
formosa, 372
Dasylirion acrotiche, 157

Dasypus novemcinctus, 280, 281
Davis, David H., and Philip D. Sudman, Effect of sampling blood of nestlings on success of fledging in white-eyed vireos (*Vireo griseus*), 446–449
de la Cueva, Horacio, see González-Jaramillo, Monica, —
Decatropis bicolor, 213
Declining populations of yellow mud turtles (*Kinosternon flavescens*) in Iowa, Illinois, and Missouri, James L. Christiansen, Neil P. Bernstein, Christopher A. Phillips, Jeffrey T. Briggler, and Don Kangas, 304–313
Deirochelys reticularia, 283
DeMaso, Stephen J., see Reyes Ramirez, Eric, —
Demography of the side-blotched lizard, *Uta stansburiana*, in sand dunes of the central Chihuahuan Desert, Héctor Gadsden and Gamaliel Castaeda, 292–303
Dendroica fusca, 106
Densmore, Lewellyn D., III, see Hamilton, Donna E., —
Desmodium, 94
Desmognathus fuscus, 163, 164
DeYoung, Randy W., see Holbrook, Joseph D., —
Diadophis
punctatis, 279
punctatus, 68, 440
Dichanthelium acuminatum, 133–137
Dicranocarpus parviflorus, 372
Dictyna, 418, 419
Dictynidae, 418, 419
Didelphis virginiana, 192, 257–261, 280, 281, 310
Digitaria cognata, 476
Dimorphocarpa wislizenii, 372
Dinsmore, Stephen J., see Dzul, Maria C., —
Dionda diaboli, 229, 359, 481, 485, 489, 493, 500
Diorhabda elongata, 149
Diospyros texana, 213, 474
Dipodomys
merriami, 150, 151
ordii, 151, 167, 204, 211
spectabilis, 203, 204
Dirrigl, Frank J., Jr. and Robert H. Mohlenbrock, Land snails in ephemeral pools at Ottine Swamp, Gonzales County, Texas, 353–355
Distribution of the swift fox (*Vulpes velox*) in Texas, Donelle L. Schwalm, Warren B. Ballard, Ernest B. Fish, and Heather A. Whitlaw, 393–398
Distributional records for birds from Tlaxcala, Mexico, Jorge E. Ramírez-Albores, 105–107
Distributional records for four fishes from the Arkansas, Mississippi, and White rivers of Arkansas, Chris T. McAllister, Henry W. Robison, Thomas M. Buchanan, and David A. Etnier, 217–219
Diversity of freshwater fishes in Reserva de la Biosfera Barranca de Metztitlán, Hidalgo, Mexico, and recommendations for conservation, Rafael Miranda, David Galicia, Scott Monks, and Griselda Pulido-Flores, 285–291
Dixon, James R., see Brown, Donald J., —
Dixon, Philip M., see Dzul, Maria C., —
Dodonaea, 454
Dorosoma
cepedianum, 348
petenense, 348
Dowler, Robert C., see Nalls, Amy V., —
Draeculacephala inscripta, 125
Drickamer, Lee C., see Gedeon, Csongor I., —
Drysdalia coronoides, 65
Dyssodia papposa, 463
Dzul, Maria C., D. Bailey Gaines, Jesse R. Fischer, Michael C. Quist, and Stephen J. Dinsmore, Evaluation of otoliths of Salt Creek pupfish (*Cyprinodon salinus*) for use in analyses of age and growth, 412–416
Dzul, Maria C., Michael C. Quist, Stephen J. Dinsmore, Philip M. Dixon, Michael R. Bower, Kevin P. Wilson, and D. Bailey Gaines, Identifying sources of error in surveys of Devils Hole pupfish (*Cyprinodon diabolis*), 44–50

Eads, David A., Mike T. J. Hague, and Carlie G. Zoubek, American badger (*Taxidea taxus*) uses covert reconnaissance to ambush a black-tailed prairie dog (*Cynomys ludovicianus*), 463–464
Ebinger, John E., and David S. Seigler, *Vachellia* x *cedilloi* (L. Rico) Seigler & Ebinger (Fabaceae: Mimosoideae), a probable hybrid of two species of ant-acacias, 349–353
Ebo, 418
Echeandia, 454
reflexa, 454
Echinocactus platyacanthus, 158
Ecology of *Xenosaurus rectocollaris* in Tehuacan Valley, Puebla, Mexico, Guillermo A. Woolrich-Piña, Julio A. Lemos-Espinal, Luis Oliver-López, and Geoffrey R. Smith, 157–161
Edrotes ventricosus, 262–265
Eifler, Douglas A., Maria A. Eifler, and Tracey K. Brown, Habitat selection by foraging Texas horned lizards, *Phrynosoma cornutum*, 39–43
Eifler, Maria A., see Eifler, Douglas A., —
Elaphe obsoleta, 192, 279
Eleocharis macrostachya, 354
Elephantidae, 404
Elephas
columbi, 400
imperator, 404
Elionurus tripsacoides, 97
Elymus, 94, 177
Empidonax, 33
hammondii, 34
oberholseri, 34
occidentalis, 34
traillii, 35
wrightii, 34
Emys blandingii, 472
Encelia farinosa, 17
Endemic Chinanteco deermouse *Habromys chinanteco* (Rodentia: Cricetidae) in the Sierra Madre de Oaxaca, Mexico, new records of the, Miguel Briones-Salas, A. Hernández-Allende, M. Martínez Coronel, and G. González Pérez, 221–222
Ephedra, 40, 41, 362, 372
californica, 21
Eptesicus fuscus, 203
Equidae, 405
Equus, 80, 407
achates, 79
asinus, 16–25, 405
barcenaei, 79
complicatus, 399, 400, 405
conversidens, 74, 76, 78, 79, 399, 405, 406, 408
francisci, 79
francisi, 79
littoralis, 79
niobrarensis, 79, 399, 400, 404–406, 409
scotti, 79, 406
tau, 79
Eragrostis, 97
lehmanniana, 474, 476
Erethizon
dorsata, 203
dorsatum, 381
Eriogonum, 21
multiflorum, 97
wrightii, 372
Ero furcata, 419
Erodium
botrys, 330
cicutarium, 21
Esox lucius, 268
Estrada Castillón, Eduardo, see Muro Pérez, Gisela, —
Etheostoma fonticola, 449–452
Etnier, David A., see McAllister, Chris T., —
Eumeces
fasciatus, 279
obsoletus, 438–440

Eumorpha, 125
fasciata, 124
Eurycea
bislineata, 163, 164
naufragia, 162–165
Euryopis, 418
Evidence for freeze tolerance in the eastern fence lizard (*Sceloporus undulatus*), Gregory B. Pauly, 472–473
Expansion of the breeding range of the blue-gray gnatcatcher (*Polioptila caerulea*) into western Nebraska, Ingrid Barceló and John Faaborg, 478–479

Faaborg, John, see Barceló, Ingrid, and —
Fabaceae, 349–353, 453
Factors influencing foraging habitats of mule deer (*Odocoileus hemionus*) in the San Andres Mountains, New Mexico, Brock D. Hoenes and Louis C. Bender, 370–379
Fallugia paradoxa, 32, 374–376
Farías, Verónica, Todd K. Fuller, and Raymond M. Sauvajot, Activity and distribution of gray foxes (*Urocyon cinereoargenteus*) in southern California, 176–181
Feild, Justin, see Moczygemba, Jonathan D., —
Felger, Richard Stephen, see Gallo-Reynoso, Juan Pablo, —
Felidae, 404
Felis catus, 171, 280
Fendlera rupícola, 375, 376
Festuca, 93, 177
Ficus petiolaris, 461
First-year growth of longnose gar (*Lepisosteus osseus*) from zygote to autumn juvenile, William J. Matthews, William L. Shelton, and Edie Marsh-Matthews, 335–337
Fischer, Jesse R., see Dzul, Maria C., —
Fish, Ernest B., see Schwalm, Donelle L., —
Flores-Flores, José Luis, see Romero-Manzanares, Angélica, —
Flourensia cernua, 32, 371, 372
Foraging ecology of elk (*Cervus elaphus*) in a tallgrass prairie, Jonathan M. Conard and Philip S. Gipson, 92–96
Force-fed-radiotransmitter technique for finding refuged lizards, Enrique Santoyo-Brito and Stanley Fox, 458–459
Formicidae, 262, 263
Forstner, Michael R. J., see Brown, Donald J., —
Fouquieria splendens, 17, 21
Fox, Stanley, see Santoyo-Brito, Enrique, and —
Fraser, William C., see Kappenman, Kevin M., —
Fraxinus, 109
pennsylvanica, 479
Fregata magnificens, 332–335
Fulbright, Timothy E., see Larson, Jon A., —
Fuller, Todd K., see Farías, Verónica, —
Fusobacterium nucleatum, 134

Gadsden, Héctor, and Gamaliel Castaeda, Demography of the side-blotched lizard, *Uta stansburiana*, in sand dunes of the central Chihuahuan Desert, 292–303
Gadsden, Héctor, see García-De la Peña, Cristina, —
Gaines, D. Bailey, see Dzul, Maria C., —
Galicia, David, see Miranda, Rafael, —
Galium, 94
Gallo-Reynoso, Juan Pablo, Richard Stephen Felger, and Benjamin Theodore Wilder, Near colonization of a desert island by a tropical bird: military macaw (*Ara militaris*) at Isla San Pedro Nolasco, Sonora, Mexico, 459–462
Gambelia, 438
wislizenii, 296
Gambusia affinis, 336, 339
García Aranda, Mario A., see Muro Pérez, Gisela, —
García-De la Peña, Cristina, Héctor Gadsden, Rosalinda Palomo-Ramos, Ana B. Gatica-Colima, Pablo A. Lavín-Murcio, and Gamaliel Castaeda, Spatial segregation of microhabitats within a community of lizards in Médanos de Samalayuca, Chihuahua, Mexico, 430–434
García-Moya, Edmundo, see Romero-Manzanares, Angélica, —
García-Salas, Juan A., see Contreras-Balderas, Armando J., —
Garrya, 454
wrightii, 375, 376
Gastrophryne olivacea, 279, 280
Gatica-Colima, Ana B., see García-De la Peña, Cristina, —
Gedeon, Csongor I., Lee C. Drickamer, and Andrew J. Sanchez-Meador, Importance of burrow-entrance mounds of Gunnison's prairie dogs (*Cynomys gunnisoni*) for vigilance and mixing of soil, 100–104
Gekkonidae, 91
Genetic and conservation status of a relictual population of the hispid cotton rat (*Sigmodon hispidus eremicus*), Robert D. Bradley, Justin B. Lack, Russell S. Pfau, Lottie L. Peppers, Dallas D. Henson, Andrew O. Stallings, Christine N. Hoang, and Ronald A. Van Den Bussche, 231–239
Genetic and morphologic variation in the Davis Mountains cottontail (*Sylvilagus robustus*), Amy V. Nalls, Loren K. Ammerman, and Robert C. Dowler, 1–7
Genetic structure of a population of the endangered star cactus (*Astrophytum asterias*) in southern Texas, Martin Terry, Alan E. Pepper, Anna W. Strong, Daniel M. Tarin, Dana M. Price, and James R. Manhart, 182–188
Geococcyx californianus, 41, 296
Geographical range of pacas (*Cuniculus paca*) in northeastern Mexico, new records and proposed, Erick Rubén Rodríguez-Ruíz, Ivan Castro-Arellano, and Jorge Valencia-Herverth, 219–221
Geomyidae, 103
Geomys, 203
attwateri, 96–99
bursarius, 409
Geothlypis tolmiei, 34
Gerrhonotus, 439
Gila
atraria, 269, 412
cypha, 249, 421
elegans, 421–429
Gillespie, J. Hayley, The Southwestern Association of Naturalists Minutes of the Meeting of the Board of Governors and Officers at the 59th annual meeting, Universidad Autónoma del Estado de México, Valle de Bravo, Estado de México, Asociación Nacional de Universidades de Educación Superior, Thursday, 19 April 2012, 480–484
Gillespie, J. Hayley, The Southwestern Association of Naturalists Actas de la 59ª Reunion del Consejo Directivo y Oficiales, Universidad Autónoma del Estado de México, Valle de Bravo, Estado de México, Asociación Nacional de Universidades de Educación Superior, Jueves, 19 de abril 2012, 484–488
Gillespie, J. Hayley, The Southwestern Association of Naturalists Minutes of the Business Meeting, 59th annual meeting, Universidad Autónoma del Estado de México, Valle de Bravo, Estado de México, Asociación Nacional de Universidades de Educación Superior, Friday-Saturday, 20–21 April 2012, 488–492
Gillespie, J. Hayley, The Southwestern Association of Naturalists Actas de la Reunión de Negocios, 59ª reunión anual, Universidad Autónoma del Estado de México, Valle de Bravo, Estado de México, Asociación Nacional de Universidades de Educación Superior, Viernes-Sábado, 20–21 de abril 2012, 492–496

Gipson, Philip S., see Conard, Jonathan M., and —
Girardinichthys viviparus, 289
Glaucomys, 195, 197
volans, 196
Gleditsia, 94
Glycine max, 93
Gnaphosidae, 418
Goldberg, Stephen R., Reproduction in the Yuman fringe-toed lizard, *Uma rufopunctata* (Squamata: Phrynosomatidae), 456–457
González Pérez, G., see Briones-Salas, Miguel, —
González-Jaramillo, Monica, Christian Schloegl, and Horacio de la Cueva, Adoption as a conservation strategy for the magnificent frigatebird (*Fregata magnificens*), 332–335
Goodea atripinnis, 286–288
Goodeidae, 286, 289
Gopherus agassizii, 17
Graptemys
geographica, 472
ouachitensis, 283
pseudogeographica, 306
Griffiths, Christopher M., see Iverson, John B., —
Grodowitz, Michael J., see Harms, Nathan E., and —
Guarneros-Altimirano, Rafael, see Reyes Ramirez, Eric, —
Guazuma ulmifolia, 220
Gumaga griseola, 121
Gutierrezia, 40, 41
microcephala, 372
sarothrae, 372, 431, 432

Habitat selection by foraging Texas horned lizards, *Phrynosoma cornutum*, Douglas A. Eifler, Maria A. Eifler, and Tracey K. Brown, 39–45
Habitats by coyotes (*Canis latrans*) in Joshua Tree National Park, California, use of, Philip Stoker, Christopher Willett, Mariana Altrichter, and Peter M. Sherman, 214–216
Habitats occupied by elk (*Cervus elaphus*) in desert grassland-scrublands of northwestern New Mexico, Louis C. Bender, Roger A. Baldwin, and Jessica R. Piasecke, 361–369
Habitats used by the endangered fountain darter (*Etheostoma fonticola*) in the San Marcos River, Hays County, Texas, Mara L. Alexander and Catherine T. Phillips, 449–452
Habromys
chinanteco, 221–222
ixtlani, 222
Haden, Allen, see Blinn, Dean W., —
Haemogamasus harperi, 345
Hague, Mike T. J., see Eads, David A., —
Hale, Amanda M., see Rubenstahl, Trevor G., —
Hall, Alexander S., see Biagas, Tiffany D., —
Hall, Lucas K., Effect of cheatgrass on abundance of the North American deermouse (*Peromyscus maniculatus*), 166–169
Hamilton, Donna E., Nancy E. McIntyre, and Lewellyn D. Densmore, III, Using implanted passive integrated transponders to monitor long-term burrow fidelity in a theraphosid spider, *Aphonopelma hollyi*, 144–147
Hammer, Rick L., Stephan L. Hatch, Alan E. Pepper, and James R. Manhart, Concordance between molecular and morphological evidence of hybridization in the *Dichanthelium acuminatum* (Poaceae: Paniceae) subspecies complex, 133–137
Harms, Nathan E., and Michael J. Grodowitz, Herbivorous insects associated with *Ludwigia peploides* (Onagraceae) in the southern United States, 123–127
Harris, Arthur H., and Jonena Hearst, Late Wisconsin mammalian fauna from Dust Cave, Guadalupe Mountains National Park, Culberson County, Texas, 202–206
Harveson, Louis A., see Collins, Daniel P., III, —
Harveson, Louis A., see Hernandez-Santin, Lorna, —
Harveson, Patricia M., see Hernandez-Santin, Lorna, —
Hatch, Stephan L., see Hammer, Rick L., —
Hearst, Jonena, see Harris, Arthur H., and —
Helianthus, 94
annuus, 199, 310, 372
maximiliani, 278
Helicopsyche borealis, 121
Heliotropium greggii, 372
Hellgren, Eric C., see Bogosian, Victor, III, —
Hellickson, Mickey W., see Moczygemba, Jonathan D., —
Hemiauchenia, 82, 83
Hemidactylus turcicus, 279
Henson, Dallas D., see Bradley, Robert D., —
Herbivorous insects associated with *Ludwigia peploides* (Onagraceae) in the southern United States, Nathan E. Harms and Michael J. Grodowitz, 123–127
Herichthys pantostictus, 286–289
Hernández, Fidel, see Larson, Jon A., —
Hernández-Allende, A., see Briones-Salas, Miguel, —
Hernandez-Santin, Lorna, Patricia M. Harveson, and Louis A. Harveson, Suitable habitats for cougars (*Puma concolor*) in Texas and northern Mexico, 314–318
Hesperophylax occidentalis, 121
Hesperostipa neomexicana, 210
Heterandria
bimaculata, 290
jonesii, 286–288, 290
Heterodon nasicus, 310
Heteromyidae, 149
Hewitt, David G., see Moczygemba, Jonathan D., —
Hewitt, David G., see Reyes Ramirez, Eric, —
Hilaria jamesii, 362
Hoang, Christine N., see Bradley, Robert D., —
Hoenes, Brock D., and Louis C. Bender, Factors influencing foraging habitats of mule deer (*Odocoileus hemionus*) in the San Andres Mountains, New Mexico, 370–379
Hog-nosed skunks (*Conepatus leuconotus*) along the Gulf of Mexico: population status and genetic diversity, Joseph D. Holbrook, Randy W. DeYoung, Arturo Caso, Michael E. Tewes, and John H. Young, 223–225
Holbrook, Joseph D., Randy W. DeYoung, Arturo Caso, Michael E. Tewes, and John H. Young, Hog-nosed skunks (*Conepatus leuconotus*) along the Gulf of Mexico: population status and genetic diversity, 223–225
Holbrookia, 436
maculata, 283
Holocnemus, 418, 419
Home ranges of female Rio Grande turkeys (*Meleagris gallopavo intermedia*) in southern Texas, Eric Reyes Ramirez, Megan C. Clayton, Cody W. Lawson, Stephen M. Burns, Rafael Guarneros-Altimirano, Stephen J. DeMaso, William P. Kuvlesky, Jr., David G. Hewitt, J. Alfonso Ortega-Santos, and Tyler A. Campbell, 198–201
Home ranges of the nilgai antelope (*Boselaphus tragocamelus*) in Texas, Jonathan D. Moczygemba, David G. Hewitt, Tyler A. Campbell, J. Alfonso Ortega-S., Justin Feild, and Mickey W. Hellickson, 26–30
Hutson, Christian A., see Beckman, Daniel W., and —
Hyalella azteca, 122
Hyallela, 451
Hybognathus
hayi, 348
nuchalis, 348
Hydrilla verticillata, 450–452

Hydropsyche
auricolor, 121
occidentalis, 121
Hydroptila
ajax, 121, 122
arctia, 121, 122
icona, 121
rono, 121
Hyla versicolor-chrysoscelis, 279
Hylidae, 324
Hymenoptera, 442–445
Hypsiglena chlorophaea, 87, 88, 90, 91

Ictaluridae, 218, 286
Ictalurus
mexicanus, 286–288
punctatus, 273, 286–288, 339, 348
Icterus parisorum, 34
Ictidomys tridecemlineatus, 202–204, 208
Ictiobus
bubalus, 348
niger, 348
Identifying sources of error in surveys of Devils Hole pupfish (*Cyprinodon diabolis*), Maria C. Dzul, Michael C. Quist, Stephen J. Dinsmore, Philip M. Dixon, Michael R. Bower, Kevin P. Wilson, and D. Bailey Gaines, 44–50
Iguana pinguis, 458, 459
Ilgen, Jason, see Kappenman, Kevin M., —
Impact of thinning ponderosa pines (*Pinus ponderosa*) on populations of Abert's squirrels (*Sciurus aberti*), Kelly J. Worden and Catherine Kleier, 380–384
Implanted passive integrated transponders to monitor long-term burrow fidelity in a theraphosid spider, *Aphonopelma hollyi*, using, Donna E. Hamilton, Nancy E. McIntyre, and Lewellyn D. Densmore, III, 144–147
Importance of burrow-entrance mounds of Gunnison's prairie dogs (*Cynomys gunnisoni*) for vigilance and mixing of soil, Csongor I. Gedeon, Lee C. Drickamer, and Andrew J. Sanchez-Meador, 100–104
Influence of size, loss of tail, and burst speed on risk of predation in the banded gecko (*Coleonyx variegatus*), Russell L. Burke and Kerry L. Yurewicz, 87–91
Ingestion and nutrient budget of Attwater's pocket gopher (*Geomys attwateri*), Michael J. Rezsutek and Guy N. Cameron, 96–99
Iris hexagona, 354
Isocoma veneta, 454
Iverson, John B., Cameron A. Young, Thomas S. B. Akre, and Christopher M. Griffiths, Reproduction by female bullsnakes (*Pituophis catenifer sayi*) in the Nebraska Sandhills, 58–73

Jackson, Victoria L., see Cove, Michael V., —
Jaguarundi (*Puma yagouaroundi*) in Guanajuato, Mexico, Juan F. Charre-Medellín, Víctor Sánchez-Cordero, Gloria Magaña-Cota, Margarito Álvarez-Jara, and Francisco Botello, 117–118
Juglans nigra, 93
Junco hyemalis, 34
Juncus dubius, 330
Juniperus, 1, 370, 371, 417
ashei, 190
deppeana, 51, 52, 376, 454
monosperma, 362, 372, 376, 401
osteosperma, 362, 479
scopulorum, 401
virginiana, 278, 478, 479

Kallstroemia californica, 372
Kangas, Don, see Christiansen, James L., —
Kappenman, Kevin M., Elijah S. Cureton, Jason Ilgen, Matt Toner, William C. Fraser, and Greg A. Kindschi, Thermal requirements of the bonytail (*Gila elegans*): application to propagation and thermal-regime management of rivers of the Colorado River Basin, 421–429
Karsten, Kristopher B., see Rubenstahl, Trevor G., —
Kindschi, Greg A., see Kappenman, Kevin M., —
Kinosternon
baurii, 312
flavescens, 304–313
integrum, 491, 495, 498
sonoriense, 312
subrubrum, 312
Kinosternum integrum, 227, 357
Kleier, Catherine, see Worden, Kelly J., and —
Kloock, Carl T., Natural history of the pirate spider *Mimetus hesperus* (Araneae; Mimetidae) in Kern County, California, 417–420
Klotz, Tracy, see Tumlison, Renn, —
Koprowski, John L., see Blount, Seafha J., and —
Koprowski, John L., see Munroe, Karen E., and —
Koprowski, John L., see Ramos-Lara, Nicolás, and —
Kozma, Jeffrey M., Laura M. Burkett, and Nancy E. Mathews, Associations of small migratory and resident birds with two scrub habitats during late winter and spring in the northern Chihuahuan Desert, New Mexico, 31–38
Krameria, 21
Krascheninnikovia lanata, 374, 375
Krausman, Paul R., see Marshal, Jason P., —
Kummerowia stipulacea, 94
Kuvlesky, William P., Jr., see Reyes Ramirez, Eric, —

Labidesthes sicculus, 348
Lacerta vivipara, 472
Lack, Justin B., see Bradley, Robert D., —
Lagerstoemia, 124
Lama guanicoe, 23
Lamarouxia, 454
Lamiaceae, 453
Lampropeltis
alterna, 440
calligaster, 278, 279
getula, 278, 279
mexicana, 440
Land snails in ephemeral pools at Ottine Swamp, Gonzales County, Texas, Frank J. Dirrigl, Jr., and Robert H. Mohlenbrock, 353–355
Lanius ludovicianus, 34, 41
Larrea tridentata, 17, 21, 32, 293, 370, 372, 432
Larson, Jon A., Timothy E. Fulbright, Leonard A. Brennan, Fidel Hernández, and Fred C. Bryant, Selection of seeds of an exotic and three native grasses by northern bobwhites (*Colinus virginianus*), 319–322
Lasionycteris noctivagans, 203
Lasiurus
blossevillii, 340–342
borealis, 280
egregius, 104–105
Late Pleistocene lizards from Fowlkes Cave, Culberson County, Texas, Dennis Parmley and Jessica Rackett Bahn, 435–441
Late Pleistocene mammalian fauna from Prescott Valley, west-central Arizona, Michael R. Pasenko and Larry D. Agenbroad, 74–86
Late Pleistocene vertebrates from a rockshelter in Cimarron County, Oklahoma, Nicholas J. Czaplewski and Kent S. Smith, 399–411
Late Wisconsin mammalian fauna from Dust Cave, Guadalupe Mountains National Park, Culberson County, Texas, Arthur H. Harris and Jonena Hearst, 202–206
Latrodectus, 418
Lavín-Murcio, Pablo A., see García-De la Peña, Cristina, —
Lawson, Cody W., see Reyes Ramirez, Eric, —

Layher, William G., see Buchanan, Thomas M., —
Leavitt, Daniel J., Assemblages of rodents in riparian forests along the Rio Grande in Big Bend National Park, Texas: current and historic insights on the effects of invasion by saltcedars, 148–153
Leavitt, Daniel J., see Acre, Matthew R., —
Lemos-Espinal, Julio A., see Woolrich-Piña, Guillermo A., —
Leopardus
pardalis, 118
wiedii, 118
Lepidium, 52
Lepidocolaptes leucogaster, 106
Lepidomeda
aliciae, 273
vittata, 122
Lepisosteidae, 335
Lepisosteus
oculatus, 348
osseus, 335–337, 348
platostomus, 348
Lepomis
cyanellus, 339
gulosus, 348
humilis, 348
macrochirus, 348
Leporidae, 403
Lepus, 215, 399, 401, 403, 408
californicus, 17, 203, 395, 409
pinetis, 1
Lespedeza
capitata, 94
cuneata, 94, 95
Liasis fuscus, 65, 70
Linum aristatum, 372
Liquidambar styraciflua, 336
Lithobates catesbeianus, 323, 325, 339
Lituma, Christopher M., Michael L. Morrison, and Jay D. Whiteside, Restoration of grasslands and nesting success of dickcissels (*Spiza americana*), 138–143
Llama, 82
Lolium
multiflorum, 330
pratense, 278
Loxodonta africana, 78
Ludwigia
alternifolia, 124
glandulosa, 124
leptocarpa, 124
octovalvis, 124
palustris, 354
peploides, 123–127
repens, 124, 449–452
sphaerocarpa, 124
Luja, Víctor H., Ricardo Rodríguez-Estrella, Kris Ratzlaff, Gabriela Parra-Olea, and Aurelio Ramírez-Bautista, The chytrid fungus *Batrachochytrium dendrobatidis* in isolated populations of the Baja California treefrog *Pseudacris hypochondriaca curta* in Baja California Sur, Mexico, 323–327
Luna-Cavazos, Mario, see Romero-Manzanares, Angélica, —
Lupinus
argenteus, 386
texensis, 97
Lycium, 21, 372
berlandieri, 431, 432
Lycosidae, 418
Lycurus phleoides, 454
Lynx, 399
canadensis, 404
rufus, 118, 176, 178, 179, 203, 280
Lysathia
flavipes, 123
ludoviciana, 123–126
Lythrurus fumeus, 348

Macrhybopsis
aestivalis, 218
hyostoma, 217, 218, 348
storeriana, 348
Macrobaenetes valgum, 262–265
Macropus rufus, 23
Magaña-Cota, Gloria, see Charre-Medellín, Juan F., —
Malaclemys terrapin, 472
Malus, 109
Mammalia, 112–117
Mammut americanum, 74, 75, 77, 78
Mammuthus, 112, 115, 408
columbi, 74–78, 399–401, 404, 408, 409
imperator, 400, 404, 405
meridionalis, 75
primigenius, 75, 78
Manhart, James R., see Hammer, Rick L., —
Manhart, James R., see Terry, Martin K., —
Marmota
flaviventris, 203
monax, 468
Marshal, Jason P., Vernon C. Bleich, Paul R. Krausman, Mickey-Lynn Reed, and Alex Neibergs, Overlap in diet and habitat between the mule deer (*Odocoileus hemionus*) and feral ass (*Equus asinus*) in the Sonoran Desert, 16–25
Marsh-Matthews, Edie, see Matthews, William J., —
Martes americana, 390
Martínez Coronel, M., see Briones-Salas, Miguel, —
Masticophis flagellum, 90
Mathews, Nancy E., see Kozma, Jeffrey M., —
Matthews, William J., William L. Shelton, and Edie Marsh-Matthews, First-year growth of longnose gar (*Lepisosteus osseus*) from zygote to autumn juvenile, 335–337
McAllister, Chris T., and Nixon Wilson, *Ctenophthalmus pseudagyrtes* (Siphonaptera: Ctenopthalmidae): new to the flea fauna of Texas, 345–346
McAllister, Chris T., Henry W. Robison, Thomas M. Buchanan, and David A. Etnier, Distributional records for four fishes from the Arkansas, Mississippi, and White rivers of Arkansas, 217–219
McAllister, Chris T., see Buchanan, Thomas M., —
McIntyre, Nancy E., see Hamilton, Donna E., —
Medicago sativa, 93
Megadontomys criophylus, 222
Megatylopus, 82
Melampodium leucanthum, 372
Meleagris gallopavo, 198–201
Melica, 177
Melilotus, 94
Melospiza
lincolnii, 34
melodia, 34
Melozome fuscus, 34
Menidia jordani, 286–288
Mephitis mephitis, 177, 192, 203, 257, 280, 282, 310
Meringis parkeri, 210, 211
Mesodon
roemeri, 354
thyroidus, 353, 354
Mesomphix friabilis, 353, 354
Micropterus
dolomieu, 268
punctulatus, 348
Microtus, 409
mogollonensis, 203
montanus, 167, 387, 388
oaxacensis, 222
ochrogaster, 280
pinetorum, 280
Mikania scandens, 354
Mimetidae, 417–420
Mimetus
hesperus, 417–420
notius, 418, 419
Mimosoideae, 349–353
Mimus polyglottos, 34
Miranda, Rafael, David Galicia, Scott Monks, and Griselda Pulido-Flores, Diversity of freshwater fishes in Reserva de la Biosfera Barranca de Metztitlán, Hidalgo, Mexico, and recommendations for conservation, 285–291
Mitchell, Robert B., see Pleasant, Greg D., —
Mitrephanes phaeocercus, 106
Moczygemba, Jonathan D., David G. Hewitt, Tyler A. Campbell, J. Alfonso Ortega-S., Justin Feild, and Mickey

W. Hellickson, Home ranges of the nilgai antelope (*Boselaphus tragocamelus*) in Texas, 26–30
Mohlenbrock, Robert H., see Dirrigl, Frank J., Jr., and —
Molothrus ater, 139, 189*t*, 447, 479
Moneilema armatum, 182
Monks, Scott, see Miranda, Rafael, —
Moody, Eric K., and Christopher A. Taylor, Red swamp crawfish (*Procambarus clarkii*) discovered in the San Pedro River, Arizona: a new invader in a threatened ecosystem, 339–340
Moody, Raymond W., see Bogosian, Victor, III, —
Mora, José M., Big red bat *Lasiurus egregius* (Vespertilionidae) in Honduras, 104–105
Morrison, Michael L., see Lituma, Christopher M., —
Morus, 94
Moxostoma
carinatum, 240–247
pisolabrum, 348
Mugilidae, 286
Muhlenbergia, 454
montana, 52
Munroe, Karen E., and John L. Koprowski, Copulatory plugs of round-tailed ground squirrels (*Xerospermophilus tereticaudus*), 208–210
Muro Pérez, Gisela, Jaime Sánchez Salas, Eduardo Estrada Castillón, and Mario A. García Aranda, *Peniocereus greggii* variety *greggii* (Cactaceae) in Durango, Mexico, 337–338
Mus musculus, 280
Mustela
erminea, 388
frenata, 177, 203, 282
Myiarchus cinerascens, 34
Mylohyus, 435
nasutus, 112, 113, 115, 116
Myodes gapperi, 385–392
Myotis
californicus, 203
ciliolabrum, 203
occultus, 340–342
thysanodes, 203
velifer, 203
Myriophyllum aquaticum, 124
Mytrocereus fulviceps, 157

Nalls, Amy V., Loren K. Ammerman, and Robert C. Dowler, Genetic and morphologic variation in the Davis Mountains cottontail (*Sylvilagus robustus*), 1–7
Native stem-boring beetles (Coleoptera: Bostrichidae) extensively and frequently feed on invasive *Tamarix*, Wyatt Williams and Andrew Norton, 108–111
Natrix maura, 68
Natural history of the pirate spider *Mimetus hesperus* (Araneae: Mimetidae) in Kern County, California, Carl T. Kloock, 417–420
Neibergs, Alex, see Marshal, Jason P., —
Neiswenter, Sean A., see Calvert, Allen W., and —
Neotoma, 233, 399, 402
cinerea, 203, 204, 388
floridana, 259, 280
lepida, 179
leucodon, 203, 205
mexicana, 202–204, 211
micropus, 150, 151, 203, 205, 408
Neotrichia okopa, 121, 122
Nerodia, 440
rhombifer, 279
sipedon, 89
Nesting success of scissor-tailed flycatchers (*Tyrannus forficatus*) at a wind farm in northern Texas, Trevor G. Rubenstahl, Amanda M. Hale, and Kristopher B. Karsten, 189–194
Niva, Liisa M., see Cove, Michael V., —
Norton, Andrew, see Williams, Wyatt, and —
Nothrotheriops shastensis, 203, 204
Notiosorex, 203, 204, 408
crawfordi, 205
dalquesti, 205
harrisi, 205
Notropis
atherinoides, 348
shumardi, 217, 218
volucellus, 348
Noturus flavus, 217, 218
Nymphaea odorata, 124

O'Leary, John F., and William R. Bredemeyer, Postfire responses by southern arroyo willow forest and by southern-willow scrub dominated by *Salix lasiolepis* in San Diego County, California, 327–332
Occurrence of sprouts and seedlings of pinyon pines, alligator junipers, and gray oaks following harvest of fuelwood and prescribed burning, M. Karl Wood, Roxanne Scanlon, and Douglas S. Cram, 51–57
Ochetina bruchi, 123
Ochrotrichia
dactylophora, 121
dactyophora, 121
logana, 121
lomenta, 121
Octodon degus, 102
Odocoileus, 83, 203, 406
hemionus, 16–25, 370–379, 395, 407, 409
virginianus, 26, 27, 280, 407
Oecetis disjuncta, 121
Oecobiidae, 418
Oligoneuron rigidum, 93
Oliver-López, Luis, see Woolrich-Piña, Guillermo A., —
Olneya tesota, 17, 21, 35
Olygyra orbiculata, 353, 354
Onagraceae, 123–127
Oncorhynchus
clarki, 269
mykiss, 269, 427
Ondatra zibethicus, 280, 409
Onychomys
arenicola, 203, 205
leucogaster, 151, 203
Onychylis nigrirostris, 123
Opheodris aestivus, 279
Opheodrys aestivus, 65
Ophiosaurus, 439
Ophisaurus attenuatus, 278, 279
Ophoedrys aestivus, 440
Oplismenus hirtellus, 354
Opuntia, 21
bigelovii, 215
Orchopeas leucopus, 210, 211
Orconectes virilis, 339
Oreochromis
aureus, 286–288
niloticus, 286–288
Oreoscoptes montanus, 34
Oreothlypis
celata, 34
virginiae, 34
Ortega-S., J. Alfonso, see Moczygemba, Jonathan D., —
Ortega-Santos, J. Alfonso, see Reyes Ramirez, Eric, —
Oryctolagus cuniculus, 5
Oryzomys chapmani, 222
Oryzopsis hymenoides, 362
Otoliths of Salt Creek pupfish (*Cyprinodon salinus*) for use in analyses of age and growth, evaluation of, Maria C. Dzul, D. Bailey Gaines, Jesse R. Fischer, Michael C. Quist, and Stephen J. Dinsmore, 412–416
Otospermophilus
beecheyi, 208
variegatus, 203
Overlap in diet and habitat between the mule deer (*Odocoileus hemionus*) and feral ass (*Equus asinus*) in the Sonoran Desert, Jason P. Marshal, Vernon C. Bleich, Paul R. Krausman, Mickey-Lynn Reed, and Alex Neibergs, 16–25
Ovis canadensis, 16, 203, 407
Oxyethira arizona, 121

Pachycereus pringlei, 460
Palaeolama, 82
Palomo-Ramos, Rosalinda, see García-De la Peña, Cristina, —
Paniceae, 133–137
Panicum, 94, 133
oligosanthes, 97
virgatum, 93, 138, 319–321

Pantherophis, 60
guttatus, 65, 68, 70
Parkinsonia florida, 17, 21
Parmley, Dennis, and Jessica Rackett Bahn, Late Pleistocene lizards from Fowlkes Cave, Culberson County, Texas, 435–441
Parra-Olea, Gabriela, see Luja, Víctor H., —
Parthenium incanum, 372
Pasenko, Michael R., and Larry D. Agenbroad, Late Pleistocene mammalian fauna from Prescott Valley, west-central Arizona, 74–86
Passerculus sandwichensis, 107
Patternless morph of the marbled whiptail (*Aspidoscelis marmorata*; Squamata: Teiidae) in New Mexico, a, Matthew R. Acre, Daniel J. Leavitt, and Christopher M. Schalk, 206–207
Pauly, Gregory B., Evidence for freeze tolerance in the eastern fence lizard (*Sceloporus undulatus*), 472–473
Pecari tajacu, 27, 83, 112
Peniocereus greggii, 337–338
Peniocereus greggii variety *greggii* (Cactaceae) in Durango, Mexico, Gisela Muro Pérez, Jaime Sánchez Salas, Eduardo Estrada Castillón, and Mario A. García Aranda, 337–338
Pennisetum glaucum, 155
Pennistum ciliare, 474, 476
Pepper, Alan E., see Hammer, Rick L., —
Pepper, Alan E., see Terry, Martin K., —
Peppers, Lottie L., see Bradley, Robert D., —
Perca flavescens, 273, 426
Percidae, 218
Percina caprodes, 348
Perigaster cretura, 123–126
Perognathus flavus, 148, 150, 151, 211
Peromyscus, 210–212, 233
aztecus, 222
boylii, 211
eremicus, 150, 151, 203, 205
gratus, 222
leucopus, 149–151, 210, 211, 280
levipes, 222
maniculatus, 166–169, 210, 211, 280, 385–392
melanocarpus, 222
truei, 210, 211
Petrosaurus, 436
Peyton, Roger D., see Pigage, Helen K., —
Pfau, Russell S., see Bradley, Robert D., —
Phacelia, 372
Phainopepla nitens, 36
Phalaris lemmonii, 330
Phillips, Catherine T., see Alexander, Mara L., and —
Phillips, Christopher A., see Christiansen, James L., —
Philodromidae, 418
Philodromous, 418
Phlox drummondii, 97
Pholcidae, 418, 419
Pholcus, 418
phalangoides, 419
Phrynosoma, 438, 439
braconnieri, 437
cornutum, 39–43, 278, 279, 436, 437, 440
hernandesi, 437, 440
mcalli, 437
mcallii, 131
modestum, 430–437, 440
Phrynosomatidae, 435, 436, 456–457
Phyla, 94
Phyllodactylus marmoratus, 90
Phyllostomus hastatus, 105
Phytophora infestans, 182
Piasecke, Jessica R., see Bender, Louis C., —
Picea, 8
engelmannii, 9, 386
Pierce, Benjamin A., see Biagas, Tiffany D., —
Pigage, Helen K., Jon C. Pigage, and Roger D. Peyton, Siphonaptera of *Peromyscus* in the Niobrara Chalk Barrens, Colorado, 210–212
Pigage, Jon C., see Pigage, Helen K., —
Pimephales vigilax, 348
Pinus, 1, 106, 219, 222, 370, 417, 460, 479
cembroides, 452–456
contorta, 195, 386
edulis, 51, 52, 202, 210, 362, 371, 372
jeffreyi, 195
johannis, 452–456
lambertiana, 195
ponderosa, 9, 380–384, 454
rigida, 52
serotina, 52
strobiformis, 9
Pipilo
chlorurus, 31, 34
erythrophthalmus, 34
maculatus, 34
Piranga ludoviciana, 35
Pisolithus tinctorius, 453
Pistia stratiodes, 126
Pithecellobium pallens, 213
Pituophis
catenifer, 58–73
deppei, 60, 63, 65–69
lineaticollis, 60
melanoleucus, 58, 60, 63–69, 279
ruthveni, 60, 63–69
Platanus
occidentalis, 354
racemosa, 331
Platygonus compressus, 112–116, 409
Pleasant, Greg D., C. Brad Dabbert, Robert B. Mitchell, and Byron R. Buckley, Clinical variables of scaled quail (*Callipepla squamata*) in the southern High Plains of Texas, 154–156
Pleistocene peccaries (Mammalia: Tayassuidae) from western Oklahoma, Nicholas J. Czaplewski, 112–117
Plestiodon, 439
Pluchea sericea, 17, 21
Poa, 93, 94
longiligula, 166
pratensis, 94
spicatum, 166
Poaceae, 133–137, 453
Podarcis
muralis, 472
sicula, 472
Poecile gambeli, 34
Poecilia mexicana, 286–288
Poeciliidae, 286
Poeciliopsis
gracilis, 286–288
infans, 290
Pogomyrmex, 282
Pogonomyrmex, 39, 41
barbatus, 40, 42
californicus, 262–265
desertorum, 42
rugosus, 42
Polioptila
caerulea, 34, 478–479
melanura, 34
Polycentropus arizonensis, 121
Pomoxis
annularis, 348
nigromaculatus, 348
Pooecetes gramineus, 34, 106
Populus, 94, 148, 278, 362
angustifolia, 268
deltoides, 108, 109, 149, 354, 479
fremontii, 268, 341
tremuloides, 9, 195, 380, 386
Postfire responses by southern arroyo willow forest and by southern-willow scrub dominated by *Salix lasiolepis* in San Diego County, California, John F. O'Leary and William R. Bredemeyer, 327–332
Potamogeton illinoensis, 450, 451
Price, Dana M., see Terry, Martin K., —
Probability of detection when conducting analyses of surveys of mesopredators: a case study from the Ozark Highlands of Missouri, use of, Michael V. Cove, Liisa M. Niva, and Victoria L. Jackson, 257–261
Procambarus clarkii, 323, 339–340
Procapra przewalskii, 23
Procyon lotor, 177, 192, 257–261, 280, 282, 308
Prosopis, 39–41, 109, 139, 148, 417
glandulosa, 17, 21, 27, 32, 149, 190,

199, 337, 341, 370–372, 397, 401, 430–433, 474, 476
juliflora, 192
laevigata, 337
Prosopium williamsoni, 269
Prunus, 109
Pseudacris
clarkii, 279
hypochondriaca, 323–327
streckeri, 279, 280
triseriata, 279
Pseudemys concinna, 278, 279
Psoralea, 94
Psoralidium tenuiflorum, 93
Psuedotsuga menziesii, 9
Ptychocheilus lucius, 421
Pulido-Flores, Griselda, see Miranda, Rafael, —
Puma
concolor, 118, 177, 203, 314–318
yagouaroundi, 117–118
Pylodictis
olivarus, 339
olivaris, 348
Pyrus, 109

Quercus, 1, 94, 106, 139, 219, 222, 258, 278, 282, 354, 370, 460
agrifolia, 177, 331
fusiformis, 213
gambelii, 375
grisea, 51, 52, 375
havardi, 206
lobata, 177
lyrata, 192
macrocarpa, 479
muhlenbergii, 93
pauciloba, 375, 376
polymorpha, 213
potosina, 453, 454
shumardii, 353
texana, 192
turbinella, 372, 374–376
virginiana, 27
virginianus, 199
Quist, Michael C., see Dzul, Maria C., —

Rabdotus dealbatus, 353, 354
Ramírez-Albores, Jorge E., Distributional records for birds from Tlaxcala, Mexico, 105–107
Ramírez-Bautista, Aurelio, see Luja, Víctor H., —
Ramos-Lara, Nicolás, and John L. Koprowski, Communal nesting behavior in Mearns's squirrels (*Tamiasciurus mearnsi*), 195–198
Rana, 440
areolata, 283
catesbiana, 279
sphenocephala, 279
Ranunculus septentrionalis, 354
Ratzlaff, Kris, see Luja, Víctor H., —
Red swamp crawfish (*Procambarus clarkii*) discovered in the San Pedro River, Arizona: a new invader in a threatened ecosystem, Eric K. Moody and Christopher A. Taylor, 339–340
Reed, Mickey-Lynn, see Marshal, Jason P., —
Regulus calendula, 34
Reithrodontomys, 202, 203
fulvescens, 280
megalotis, 148, 150, 151
mexicanus, 222
montanus, 280
Reproduction by female bullsnakes (*Pituophis catenifer sayi*) in the Nebraska Sandhills, John B. Iverson, Cameron A. Young, Thomas S. B. Akre, and Christopher M. Griffiths, 58–73
Reproduction in the Yuman fringe-toed lizard, *Uma rufopunctata* (Squamata: Phrynosomatidae), Stephen R. Goldberg, 456–457
Reproductive ecology and characteristics of denning sites of the San Clemente Island fox, Jessica R. Resnik and William F. Andelt, 170–175
Resnik, Jessica R., and William F. Andelt, Reproductive ecology and characteristics of denning sites of the San Clemente Island fox, 170–175
Response of the Mount Graham red squirrel (*Tamiasciurus hudsonicus grahamensis*) to postfire conditions, Seafha J. Blount and John L. Koprowski, 8-15
Restoration of grasslands and nesting success of dickcissels (*Spiza americana*), Christopher M. Lituma, Michael L. Morrison, and Jay D. Whiteside, 138–143
Reyes Ramirez, Eric, Megan C. Clayton, Cody W. Lawson, Stephen M. Burns, Rafael Guarneros-Altimirano, Stephen J. DeMaso, William P. Kuvlesky, Jr., David G. Hewitt, J. Alfonso Ortega-Santos, and Tyler A. Campbell, Home ranges of female Rio Grande turkeys (*Meleagris gallopavo intermedia*) in southern Texas, 198–201
Rezsutek, Michael J., and Guy N. Cameron, Ingestion and nutrient budget of Attwater's pocket gopher (*Geomys attwateri*), 96–99
Rhapidophoridae, 262
Rhinichthys
cataractae, 269
osculus, 269
Rhizoclonium, 449–451
Rhus, 94, 454
glabra, 93
integrifolia, 172
microphylla, 32, 374–376
trilobata, 373, 375, 376
Richardsonius balteatus, 269
Riphicephalus
annulatus, 26
microplus, 26
Ritzer, Alexis L., see Biagas, Tiffany D., —
Robison, Henry W., see Buchanan, Thomas M., —
Robison, Henry W., see McAllister, Chris T., —
Rodentia, 221–222
Rodríguez-Estrella, Ricardo, see Luja, Víctor H., —
Rodríguez-Ruíz, Erick Rubén, Ivan Castro-Arellano, and Jorge Valencia-Herverth, New records and proposed geographical range of pacas (*Cuniculus paca*) in northeastern Mexico, 219–221
Romero-Manzanares, Angélica, Flores-Flores, José Luis, Mario Luna-Cavazos, and Edmundo García-Moya, Effect of slope and aspect on the associated flora of pinyon pines in central Mexico, Angélica Romero-Manzanares, 452–456
Rorippa, 250
Rosa, 94
Rosemartin, Alyssa, and Charles van Riper III, Breeding colonies of least terns (*Sternula antillarum*) in northern Sonora, Mexico, 2006–2008, 342–345
Rubenstahl, Trevor G., Amanda M. Hale, and Kristopher B. Karsten, Nesting success of scissor-tailed flycatchers (*Tyrannus forficatus*) at a wind farm in northern Texas, 189–194
Rubus, 94
Rudbeckia, 94
Ruiter, David E., see Blinn, Dean W., —
Ruthven, Donald C., III, see Collins, Daniel P., III, —

Sabal
minor, 354
uresana, 461
Sabina monosperma, 210
Sagittaria, 124
papillosa, 354
platyphylla, 450, 451
Salix, 94, 148, 268, 362
amygdaloides, 109
exigua, 109, 341
gooddingii, 341
lasiolepis, 327–332
nigra, 354
Salmo trutta, 267, 269, 271, 272
Salpinctes obsoletus, 34
Salsola
kali, 463

tragus, 172, 431
Salticidae, 418
Salvia, 177, 454
Sambucus nigra, 354
Samolus valerandii, 354
Sánchez Salas, Jaime, see Muro Pérez, Gisela, —
Sánchez-Cordero, Víctor, see Charre-Medellín, Juan F., —
Sanchez-Meador, Andrew J., see Gedeon, Csongor I., —
Santoyo-Brito, Enrique, and Stanley Fox, Force-fed-radiotransmitter technique for finding refuged lizards, 458–459
Sartwellia flaveriae, 372
Sasse, D. Blake, see Tumlison, Renn, —
Sauvajot, Raymond M., see Farías, Verónica, —
Sayornis saya, 34
Scalopus aquaticus, 345
Scanlon, Roxanne, see Wood, M. Karl, —
Scaphirhynchus platorynchus, 348
Sceloporus, 436, 438
undulatus, 279
arenicolus, 206
consobrinus, 206
occidentalis, 473
undulatus, 299, 472–473
Schalk, Christopher M., see Acre, Matthew R., —
Schizachyrium scoparium, 52, 94, 97, 138, 190, 199, 278
Schloegl, Christian, see González-Jaramillo, Monica, —
Schwalm, Donelle L., Warren B. Ballard, Ernest B. Fish, and Heather A. Whitlaw, Distribution of the swift fox (*Vulpes velox*) in Texas, 393–398
Scincella lateralis, 279
Scincidae, 439
Sciuridae, 402
Sciurus, 195, 203
aberti, 9, 196, 208, 380–384
carolinensis, 196, 197, 208
niger, 196, 208, 259, 280
Seigler, David S., see Ebinger, John E., and —
Selasphorus platycercus, 34
Selection of seeds of an exotic and three native grasses by northern bobwhites (*Colinus virginianus*), Jon A. Larson, Timothy E. Fulbright, Leonard A. Brennan, Fidel Hernández, and Fred C. Bryant, 319–322
Semi-arid landscapes in the American Southwest cause discrete communities of caddisflies (Trichoptera) in streams?, do, Dean W. Blinn, David E. Ruiter, and Allen Haden, 119–122
Senecio, 21
Sequoia sempervirens, 52
Setaphaga
coronata, 34
nigrescens, 34
townsendi, 35
Setaria leucopila, 319–321
Shelton, William L., see Matthews, William J., —
Sherman, Peter M., see Stoker, Philip, —
Shipley, Andrea J., see Booth, Michael T., and —
Sigmodon
arizonae, 232
eremicus, 236
hispidus, 96–98, 150, 151, 231–239, 280
ochrognathus, 202, 203
Siphonaptera, 210–212, 345–346
Siphonaptera of *Peromyscus* in the Niobrara Chalk Barrens, Colorado, Helen K. Pigage, Jon C. Pigage, and Roger D. Peyton, 210–212
Sistrurus catenatus, 283
Sisymbrium linearifolium, 52
Sisyrinchium, 94
Slope and aspect on the associated flora of pinyon pines in central Mexico, effect of, Angélica Romero-Manzanares, José Luis Flores-Flores, Mario Luna-Cavazos, and Edmundo García-Moya, 452–456
Smicridea fasciatella, 121
Smith, Geoffrey R., see Woolrich-Piña, Guillermo A., —
Smith, Kent S., see Czaplewski, Nicholas J., and —
Solenopsis invicta, 191
Solidago, 94
missouriensis, 93
Sorex
cinereus, 202–204, 387, 388
merriami, 202–204
monticolus, 388
nanus, 202, 203
neomexicanus, 203
palustris, 388, 408
Sorghastrum, 94
nutans, 93, 138, 190, 199, 278
Sorghum
bicolor, 93
halepense, 140
Southwestern Association of Naturalists Actas de la 59ª Reunion del Consejo Directivo y Oficiales, Universidad Autónoma del Estado de México, Valle de Bravo, Estado de México, Asociación Nacional de Universidades de Educación Superior, Jueves, 19 de abril 2012, the, J. Hayley Gillespie, 484–488
Southwestern Association of Naturalists Actas de la Reunión de Negocios, 59ª reunión anual, Universidad Autónoma del Estado de México, Valle de Bravo, Estado de México, Asociación Nacional de Universidades de Educación Superior, Viernes-Sábado, 20–21 de abril 2012, the, J. Hayley Gillespie, 492–496
Southwestern Association of Naturalists Minutes of the Business Meeting, 59th annual meeting, Universidad Autónoma del Estado de México, Valle de Bravo, Estado de México, Asociación Nacional de Universidades de Educación Superior, Friday-Saturday, 20–21 April 2012, the, J. Hayley Gillespie, 488–492
Southwestern Association of Naturalists Minutes of the Meeting of the Board of Governors and Officers at the 59th annual meeting, Universidad Autónoma del Estado de México, Valle de Bravo, Estado de México, Asociación Nacional de Universidades de Educación Superior, Thursday, 19 April 2012, the, J. Hayley Gillespie, 480–484
Spatial characteristics of Ameican badgers (*Taxidea taxus*) in southern Texas, Daniel P. Collins, III, Louis A. Harveson, and Donald C. Ruthven, III, 473–478
Spatial dynamics and growth of two native species of catostomids: are movements restricted? Michael T. Booth and Andrea J. Shipley, 248–256
Spatial segregation of microhabitats within a community of lizards in Médanos de Samalayuca, Chihuahua, Mexico, Cristina García-De la Peña, Héctor Gadsden, Rosalinda Palomo-Ramos, Ana B. Gatica-Colima, Pablo A. Lavín-Murcio, and Gamaliel Castañeda, 430–434
Spermophilus, 409
lateralis, 388
Sphaeralcea, 21, 372
lindheimeri, 97
Sphingidae, 125
Spilogale, 203
putorius, 177, 282
Spilosoma, 124, 125
Spinus notata, 107
Spiza americana, 138–143
Spizella
breweri, 34
passerina, 34
Spondias mombin, 219
Sporobolus, 94
airoides, 362, 370, 371
composites, 93
cryptandrus, 362
giganteus, 362
Squamata, 206–207, 456–457

Stallings, Andrew O., see Bradley, Robert D., —
Status and structure of two populations of the bluehead sucker (*Catostomus discobolus*) in the Weber River, Utah, P. Aaron Webber, Paul D. Thompson, and Phaedra Budy, 267–276
Sternula antillarum, 342–345
Stevia
lucida, 454
micrantha, 454
viscida, 454
Stipa, 177
Stockoceros, 406
onusrosagris, 407
Stoker, Philip, Christopher Willett, Mariana Altrichter, and Peter M. Sherman, Use of habitats by coyotes (*Canis latrans*) in Joshua Tree National Park, California, 214–216
Storeria dekayi, 279
Storm, Jonathan J., and Jerry R. Choate, Structure and movements of a community of small mammals along a powerline right-of-way in subalpine coniferous forest, 385–392
Strong, Anna W., see Terry, Martin K., —
Structure and movements of a community of small mammals along a powerline right-of-way in subalpine coniferous forest, Jonathan J. Storm and Jerry R. Choate, 385–392
Sturnira lilium, 105
Suaeda nigrescens, 432
Sudman, Philip D., see Davis, David H., and —
Suidae, 115
Suitable habitats for cougars (*Puma concolor*) in Texas and northern Mexico, Lorna Hernandez-Santin, Patricia M. Harveson, and Louis A. Harveson, 314–318
Sus scrofa, 27, 223
Sylvilagus, 215, 395, 399, 401, 403, 408, 471
aquaticus, 2, 3, 5, 282
audubonii, 2, 3, 5, 7, 17, 409
floridanus, 1–3, 5–7, 259, 280
nuttallii, 1, 203, 205
obscurus, 5
robustus, 1–7
transitionalis, 5
Symphoricarpos, 94
Symphyotrichum ericoides, 93

Tadarida brasiliensis, 203
Tamarix, 17, 108–111, 148–153, 341
pentandra, 362
Tamias
canipes, 202, 203
minimus, 202, 203, 385–392
quadrivittatus, 202, 203, 211, 386
umbrinus, 386
Tamiasciurus
douglassii, 195
hudsonicus, 8-15, 195–197, 203, 381, 387, 388
mearnsi, 195–198
Tampichthys ipni, 286–288
Tantilla gracilis, 279
Tarin, Daniel M., see Terry, Martin K., —
Taxidea taxus, 177, 463–464, 467–471, 473–478
Tayassuidae, 112–117
Taylor, Christopher A., see Moody, Eric K., and —
Teiidae, 206–207, 439
Temporal patterns of abundance of arthropods on sand dunes, Cameron W. Barrows, 262–266
Tenebrionidae, 262
Terrapene
carolina, 279, 472
ornata, 278, 279, 306, 472
Terry, Martin K., Alan E. Pepper, Anna W. Strong, Daniel M. Tarin, Dana M. Price, and James R. Manhart, Genetic structure of a population of the endangered star cactus (*Astrophytum asterias*) in southern Texas, 182–188
Tetrameryx, 406, 407
Tewes, Michael E., see Holbrook, Joseph D., —
Thamnophis, 440
marcianus, 65, 68
proximus, 279
radix, 68
sirtalis, 64, 65, 68, 472
Theridiidae, 418, 419
Theridion, 418, 419
Thermal requirements of the bonytail (*Gila elegans*): application to propagation and thermal-regime management of rivers of the Colorado River Basin, Kevin M. Kappenman, Elijah S. Cureton, Jason Ilgen, Matt Toner, William C. Fraser, and Greg A. Kindschi, 421–429
Thomisidae, 418
Thomomys
bottae, 203, 409
talpoides, 202–204
Thompson, Paul D., see Webber, P. Aaron, —
Thryomanes bewickii, 34
Thymophylla acerosa, 372
Tidestromia
lanuginosa, 372
oblongifolia, 21
Time of day does not affect detection in visual-encounter surveys of a spring-dwelling salamander, *Eurycea naufragia*, Tiffany D. Biagas, Alexander S. Hall, Alexis L. Ritzer, and Benjamin A. Pierce, 162–165
Titantylopus, 82
Toner, Matt, see Kappenman, Kevin M., —
Toxicodendron
diversilobum, 328–330
radicans, 94
Toxostoma crissale, 34
Trachemys scripta, 279, 309, 472
Tribulus terrestris, 372
Trichoptera, 119–122
Tripsacum dactyloides, 140, 199
Triticum aestivum, 93
Troglodytes aedon, 34
Trogon mexicanus, 106
Tumlison, Renn, D. Blake Sasse, Michael E. Cartwright, Stephen C. Brandebura, and Tracy Klotz, The American badger (*Taxidea taxus*) in Arkansas, with emphasis on expansion of its range into northeastern Arkansas, 467–471
Tyloderma sphaerocarpae, 123–126
Tympanuchus
cupido, 190
pallidicinctus, 190
Typha domingensis, 17
Tyrannus
forficatus, 189–194
verticalis, 34

Ulmus, 278
americana, 93, 354
crassifolia, 354
Uloboridae, 418
Uloborus, 418, 419
Uma, 436
exsul, 457
inornata, 457
notata, 457
rufopunctata, 456–457
scoparia, 457
Urochloa
maxima, 319–321
texana, 319–321
Urocitellus
columbianus, 208
richardsonii, 208
Urocyon
cinereoargenteus, 170, 176–181, 403
littoralis, 170–175, 179
Urosaurus, 436
Uta, 436
stansburiana, 206, 227, 292–303, 357, 430–434, 490, 491, 494, 495, 498

Vachellia
campechiana, 350
cedilloi, 349–353
chiapensis, 350
collinsii, 350
cornigera, 349–353
globulifera, 349, 351–353
hindsii, 350

macracantha, 350
pennatula, 350
sphaerocephala, 350
Vachellia x *cedilloi* (L. Rico) Seigler & Ebinger (Fabaceae: Mimosoideae), a probable hybrid of two species of ant-acacias, John E. Ebinger and David S. Seigler, 349–353
Valencia-Herverth, Jorge, see Rodríguez-Ruíz, Erick Rubén, —
Validation of aging techniques and growth of the river redhorse, *Moxostoma carinatum*, in the James River, Missouri, Daniel W. Beckman and Christian A. Hutson, 240–247
Van Den Bussche, Ronald A., see Bradley, Robert D., —.
van Riper, Charles, III, see Rosemartin, Alyssa, and —
Verbena, 94
Verbesina encelioides, 372
Vespertilionidae, 104–105
Viguiera
dentata, 372
multiflora, 372
stenoloba, 372
Vipera
aspis, 65, 68
berus, 472
Viquiera dentata, 52
Vireo
atricapilla, 212–213, 446
bellii, 35
gilvus, 34
griseus, 446–449
plumbeus, 34
Vireonidae, 446
Virginia striatula, 279
Visual summary of herpetofaunal diversity in Texas, Donald J. Brown, James R. Dixon, and Michael R. J. Forstner, 465–467
Vitis, 109
Vulpes
macrotis, 180, 393, 403
velox, 180, 393–399, 403
vulpes, 173, 280, 281, 403

Warriner, Michael D., Bumble bees (Hymenoptera: Apidae) of Texas: historical distributions, 442–445
Washingtonia robusta, 461
Webber, P. Aaron, Paul D. Thompson, and Phaedra Budy, Status and structure of two populations of the bluehead sucker (*Catostomus discobolus*) in the Weber River, Utah, 267–276
Whiteside, Jay D., see Lituma, Christopher M., —
Whitlaw, Heather A., see Schwalm, Donelle L., —
Wilder, Benjamin Theodore, see Gallo-Reynoso, Juan Pablo, —
Willett, Christopher, see Stoker, Philip, —
Williams, Wyatt, and Andrew Norton, Native stem-boring beetles (Coleoptera: Bostrichidae) extensively and frequently feed on invasive *Tamarix*, 108–111
Wilson, Kevin P., see Dzul, Maria C., —
Wilson, Nixon, see McAllister, Chris T., and —
Wood, M. Karl, Roxanne Scanlon, and Douglas S. Cram, Occurrence of sprouts and seedlings of pinyon pines, alligator junipers, and gray oaks following harvest of fuelwood and prescribed burning, 51–57
Woolrich-Piña, Guillermo A., Julio A. Lemos-Espinal, Luis Oliver-López, and Geoffrey R. Smith, Ecology of *Xenosaurus rectocollaris* in Tehuacan Valley, Puebla, Mexico, 157–161
Worden, Kelly J., and Catherine Kleier, Impact of thinning ponderosa pines (*Pinus ponderosa*) on populations of Abert's squirrels (*Sciurus aberti*), 380–384
Wormaldia arizonensis, 121

Xenosaurus
grandis, 159, 160
newmanorum, 159, 160
phalareoantheron, 159, 160
platyceps, 159, 160
rectocollaris, 157–161
Xerospermophilus
parryii, 208
spilosoma, 203, 204
tereticaudus, 208–210
Xiphophorus hellerii, 286–288
Xyrauchen texanus, 249, 273, 421

Young, Cameron A., see Iverson, John B., —
Young, John H., see Holbrook, Joseph D., —
Yucca
baccata, 32, 371
brevifolia, 215
elata, 371
filifera, 213
glauca, 401
oaxaquensis, 157
periculosa, 157
Yurewicz, Kerry L., see Burke, Russell L., and —

Zalophus californianus, 461
Zapus
hudsonicus, 386
princeps, 388
Zea mays, 93, 155
Zenaida macroura, 34
Zinnia grandiflora, 372
Zizania texana, 450, 451
Zonotrichia leucophrys, 31, 34
Zoubek, Carlie G., see Eads, David A., —